

Power System



Battery + Electro Surgical Motor

PRAXIS | **3B**

www.aygun.com

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

Organize Sanayi Bölgesi
Yaşar Doğu Cad. No:76
55330 Kutlukent-SAMSUN
TÜRKİYE

Tel : 90 (362) 266 66 80
Fax : 90 (362) 266 93 30
E-mail : aygun@aygun.com
Web : www.aygun.com

2017

■ Aygün has the right to modify and develop the products declared in this catalogue and its production program.

■ The weight and dimensional information given in our catalog are approximate values.

KA - 4017-Y3 Copyright © Aygün Co., Inc
2017 All Right Reserved, Printed in Türkiye



AYGÜN®

SURGICAL INSTRUMENTS CO., INC.

**STERILE
CONTAINER
SYSTEMS**

**SURGICAL
MOTOR
SYSTEMS**

**MEDICAL
ILLUMINATION
SYSTEMS**

**DISPOSABLE
STERILE
PRODUCTS**



[Since 1988 | www.aygun.com]

meeting point for
surgery...

AYGÜN®

SURGICAL INSTRUMENTS CO., INC.

AYGÜN, one of the leading establishments of Turkey in the field of Medical Industry, was founded in 1988.

It manufactures Container Systems for sterilization, Surgical Motor Systems, Medical Illumination Systems and Single Use Medical Systems in its facility at Samsun Central Organized Industrial Zone. AYGÜN meets the needs of significant part of Turkey as a result of its continuous R&D works and the capacity increasing. It manufactures its products in international standards and put them to the world market with a high competitive power. Moreover with its integrated quality management system, it proves that it is a specialized establishment.

Besides being a manufacturer, AYGÜN is also a designer company and with its continuous product development works it increases number of its patents, on the other hand, is contributing career development of rising generation by acting as a school.



Praxis System With Powerful Brushless Motor...

Battery Operated

Corded use



Battery charger and power supply unit, can charge batteries and supply power for corded operation at the same time.

ASEPTIC BATTERY SET



Sterile funnel for battery loading



Rechargeable Li-ion battery



- Led battery charge status indicator shows instant percentage when the test button is pressed.




















Autoclaveable battery case

Graphic LCD display shows information about charging status



Power cord for direct corded use

Table of Content

	(10-11) Drill Attachment	Orthopedic Set, Basic	(26)	
	(12-13) Shank Drill Bit Attachment	Orthopedic Set, Large	(27)	
	(14-15) Reamer Attachment	Drill Set	(28)	
	(16-17) Acetabular Reamer Attachment	Sagittal Saw Set	(29)	
	(18) Quick - Action Chuck (For K-wire operations)	Reciprocating Saw Set	(29)	
	(19) Reciprocating Saw System	Sternal Saw Set	(30)	
	(20-23) Sagittal Saw System	Cardio Vascular Set	(31)	
	(24) Sternum Saw System	Container Set For Sterilization	(32-33)	
	(25) Oscillating Saw System			

Battery Charging Units with Power Supply

Battery Operated



M103-210
Rechargeable Li-ion battery

- Battery capacity: 3.1 Ah
- Voltage: 21.6 Volts
- Led battery charge status indicator
- Generates a "beep tone" when starts working
- Not autoclaveable
- 84 x 63 x 47 mm / 355 g



M103-211
Autoclaveable battery case

- Steam sterilisable at 2 bar 134° C
- 102 x 82 x 72 mm / 235 g



M103-212
Autoclaveable sterile funnel for aseptic battery loading

- Steam sterilisable at 2 bar 134° C
- 78 x 59 x 35 mm / 60 g



M103-226
Charger unit for 1 battery

- Main voltage 100-240 Volts, 50-60 Hz
- Charging monitored by LCD screen
- Charging current 1.4 A
- Charging voltage 21.6 Volts
- Protections: Short circuit / Overload / Over voltage
- Generates an audible tone when charging is started or finished
- Battery not included
- 137 x 128 x 110 mm / 700 g



M103-227
Charger unit for 2 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging monitored by LCD screen
- Charging current 1.4 A
- Charging voltage 21.6 Volts
- Protections: Short circuit / Overload / Over voltage
- Generates an audible tone when charging is started or finished
- Battery not included
- 237 x 230 x 126 mm / 3.2 kg



M103-229
Charger unit for 4 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging monitored by LCD screen
- Charging current 1.4 A
- Charging voltage 21.6 Volts
- Protections: Short circuit / Overload / Over voltage
- Generates an audible tone when charging is started or finished
- Battery not included
- 320 x 310 x 150 mm / 4.5 kg

Power Supply For Direct Corded Use



- Easy coupling power cord maintains continuous operation.



M103-223
Autoclaveable power cord for direct corded use

- Steam sterilisable at 2 bar 134° C
- 4 m / 310 g



M103-228
Power supply unit for direct corded use

- Main voltage 100-240 Volts, 50-60 Hz
- Power socket output 25.2 V / 14 A
- Protections: Short circuit / Overload / Over voltage
- Cable not included
- 235 x 230 x 116 mm / 3.5 kg



M103-224
Power supply and Charger unit for 2 batteries


- Main voltage 100-240 Volts, 50-60 Hz
- Charging monitored by LCD screen
- Charging current 1.4 A
- Charging voltage 21.6 Volts
- Power socket output 25.2 V / 14 A
- Protections: Short circuit / Overload / Over voltage
- Generates an audible tone when charging is started or finished
- Battery and Cable not included
- 320 x 230 x 140 mm / 4.9 kg




M103-225
Power supply and Charger unit for 4 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging monitored by LCD screen
- Charging current 1.4 A
- Charging voltage 21.6 Volts
- Power socket output 25.2 V / 14 A
- Protections: Short circuit / Overload / Over voltage
- Generates an audible tone when charging is started or finished
- Battery and Cable not included
- 320 x 310 x 150 mm / 5.6 kg

Drill Attachment



- Easy coupling system allows changing / repositioning attachments quickly



- Dual trigger system simplifies forward / reverse operation



- 4 mm cannulated handpiece supports K-wire operations



M103-308
 Drill attachment with keyed chuck
 Ø4 mm Cannulated
 Ø 1.0 mm - 4.0 mm
 900 rpm / 7 Nm
 30 x 88 mm / 260 g




M8-473
 Chuck key
 for M103-308



M103-309
 Drill attachment with keyed chuck
 Ø4 mm Cannulated
 Ø 1.0 mm - 6.35 mm
 900 rpm / 7 Nm
 30 x 104 mm / 310 g



M7-250
 Chuck key
 for M103-309




M103-310
 Drill attachment with hybrid chuck
 Both keyed and keyless operation
 Ø4 mm Cannulated
 Ø 1.0 mm - 7.4 mm
 900 rpm / 7 Nm
 34 x 117 mm / 420 g



M7-252
 Chuck key
 for M103-310

Drill bits




Code	(Ø) Diameter mm	Length mm
M7-500	1.5	60
M7-501	2.0	100
M7-502	2.5	100
M7-503	2.7	100
M7-504	3.0	100
M7-505	3.2	100
M7-506	3.5	100
M7-507	4.0	110
M7-508	4.5	130
M7-509	5.0	160
M7-510	6.0	160



M103-200
 Handpiece

- Swiss made powerful cannulated brushless DC motor technology
- Dual trigger system for speed control and direction control
- Steam sterilisable at 2 bar 134° C
- Cannulated Ø 4 mm
- 43 x 141 x 154 mm / 940 g

Shank Drill Bit Attachments



SQUARE



M103-360
 Attachment for SQUARE shank
 900 rpm / 7 Nm
 30 x 91 mm / 200 g



AO



M103-361
 Attachment for AO shank
 900 rpm / 7 Nm
 30 x 83 mm / 190 g




TRINKE



M103-362
 Attachment for TRINKE shank
 900 rpm / 7 Nm
 30 x 81 mm / 200 g


Shank drill bits




L Length mm	Ø Diameter mm			
		SQUARE	AO	TRINKE
38	1.5	M7-520	M7-540	M7-560
45	2.0	M7-521	M7-541	M7-561
53	2.5	M7-522	M7-542	M7-562
57	2.7	M7-523	M7-543	M7-563
57	3.0	M7-524	M7-544	M7-564
57	3.2	M7-525	M7-545	M7-565
65	3.5	M7-526	M7-546	M7-566
70	4.0	M7-527	M7-547	M7-567
70	4.5	M7-528	M7-548	M7-568
95	5.0	M7-529	M7-549	M7-569
120	6.0	M7-530	M7-550	M7-570




OSTEO




M103-375
 Attachment for OSTEO shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 89 mm / 225 g



DHS



M103-376
 Attachment for DHS shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 97 mm / 220 g



AO-PROTEK



M103-377
 Attachment for AO-PROTEK shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 85 mm / 260 g




HUDSON




M103-378
 Attachment for HUDSON shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 85 mm / 230 g



HARRIS




M103-379
 Attachment for HARRIS shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 90 mm / 227 g




ZIMMER-HUDSON



M103-380
 Attachment for ZIMMER-HUDSON shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 90 mm / 235 g



ZIMMER




M103-381
 Attachment for ZIMMER shank
 Ø4 mm Cannulated
 300 rpm / 7 Nm
 30 x 90 mm / 235 g

Reamer Attachment




M103-330
 Reamer attachment for wire and pin
 Cannulated Ø 4 mm
 300 rpm / 21 Nm
 30 x 104 mm / 310 g




M7-905
 Adaptor for AO-Protek shank
 Cannulated Ø 4 mm



M7-908
 Adaptor for Hudson
 Cannulated Ø 4 mm



M7-907
 Adaptor for Harris
 Cannulated Ø 4 mm



M7-906
 Universal three-jaw chuck
 with key M7-250
 Max Ø 6.35 mm
 Cannulated Ø 4 mm



M7-250
 Chuck key
 for M7-906

Reamers



Intramedullary reamers, flexible, with drilling heads		Guides, blunt			Guides, with drill tip		
Ø mm	Length 430 mm	Ø mm	Length 600 mm	Length 990 mm	Ø mm	Length 600 mm	Length 990 mm
5.5	M7-920						
6.0	M7-921						
6.5	M7-922	1.9	M7-960	M7-961	1.9	M7-962	
7.0	M7-923						
7.5	M7-924						
8.0	M7-925						
8.5	M7-926						
9.0	M7-927						
9.5	M7-928						
10.0	M7-929						
10.5	M7-930						
11.0	M7-931						
11.5	M7-932						
12.0	M7-933	3.4	M7-963	M7-964	3.4		M7-965
12.5	M7-934						
13.0	M7-935						
13.5	M7-936						
14.0	M7-937						
14.5	M7-938						
15.0	M7-939						
15.5	M7-940						
16.0	M7-941						
16.5	M7-942						
17.0	M7-943						
17.5	M7-944						
18.0	M7-945						
18.5	M7-946						
19.0	M7-947						

Acetabular Reamer Attachment










M103-320
 Acetabular reamer attachment
 150 rpm / 40 Nm
 30 x 120 mm / 380 g




M7-705
 Adaptor for AO-Protek shaft

M7-706
 Adaptor for DIN 58809 shaft

M7-707
 Adaptor for Hudson shaft

M7-708
 Universal three-jaw chuck
 with key M7-250

M7-250
 Chuck key
 for M7-708


Acetabular reamer tools



M7-709
 Shaft only,
 With Harris Connection
 For M7-750, M7-757




M7-789
 Movable protector case,
 Fits with all reamer shafts

Only Acetabular Reamer		M7-750	Ø 46 mm
		M7-751	Ø 48 mm
		M7-752	Ø 50 mm
		M7-753	Ø 52 mm
		M7-754	Ø 56 mm
		M7-755	Ø 60 mm
		M7-756	Ø 64 mm
		M7-757	Ø 68 mm

Quick - Action Chuck (For K-wire operations)



M103-352
Quick - action chuck
Cannulated Ø 0.7 mm - 2.5 mm
900 rpm / 7 Nm
30 X 87 mm / 350 g



M103-353
Quick - action chuck
Cannulated Ø 1.5 mm - 4.0 mm
900 rpm / 7 Nm
30 X 87 mm / 350 g

Reciprocating Saw System



M103-235B
Reciprocating saw system
(Without saw blades, battery and battery case)
16.000 cpm / \longleftrightarrow 4 mm
41 x 210 x 150 mm / 1080 g



Battery Operated



Electrically Operated

Reciprocating saw blades



M103-236
Usable length: 62 mm
Width: 8 mm



M103-237
Usable length: 75 mm
Width: 13 mm



M103-238
Usable length: 60 mm
Width: 13 mm



M103-239
Usable length: 75 mm
Width: 13 mm

Sagittal Saw System



M103-300B
 Sagittal saw system
 (Without saw blades, battery and battery case)
 16.000 cpm / 4° 50'
 41 x 180 x 160 mm / 1140 g




Battery Operated




Electrically Operated


Sagittal saw blades




M103-1110
 Material Thickness: 0.4 mm
 Cutting Thickness: 0.6 mm




M103-1111
 Material Thickness: 0.4 mm
 Cutting Thickness: 0.6 mm




M103-1112
 Material Thickness: 0.4 mm
 Cutting Thickness: 0.6 mm




M103-1113
 Material Thickness: 0.4 mm
 Cutting Thickness: 0.6 mm




M103-1114
 Material Thickness: 0.4 mm
 Cutting Thickness: 0.6 mm




M103-1115
 Material Thickness: 0.6 mm
 Cutting Thickness: 0.8 mm



M103-1116
 Material Thickness: 0.6 mm
 Cutting Thickness: 0.8 mm















M103-1117
 Material Thickness: 0.6 mm
 Cutting Thickness: 0.8 mm



M103-1118
 Material Thickness: 1.19 mm

Sagittal Saw Blades (for M103-300B)

	M103-1119 Material Thickness: 1 mm												
	M103-1120 Material Thickness: 1 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1121</td><td>1 mm</td></tr> <tr> <td>M103-1122</td><td>1.19 mm</td></tr> <tr> <td>M103-1123</td><td>1.27 mm</td></tr> <tr> <td>M103-1124</td><td>1.37 mm</td></tr> </table>		Material Thickness	M103-1121	1 mm	M103-1122	1.19 mm	M103-1123	1.27 mm	M103-1124	1.37 mm		
	Material Thickness												
M103-1121	1 mm												
M103-1122	1.19 mm												
M103-1123	1.27 mm												
M103-1124	1.37 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1125</td><td>1.19 mm</td></tr> <tr> <td>M103-1126</td><td>1.27 mm</td></tr> <tr> <td>M103-1127</td><td>1.37 mm</td></tr> </table>		Material Thickness	M103-1125	1.19 mm	M103-1126	1.27 mm	M103-1127	1.37 mm				
	Material Thickness												
M103-1125	1.19 mm												
M103-1126	1.27 mm												
M103-1127	1.37 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1128</td><td>1 mm</td></tr> <tr> <td>M103-1129</td><td>1.19 mm</td></tr> <tr> <td>M103-1130</td><td>1.27 mm</td></tr> <tr> <td>M103-1131</td><td>1.37 mm</td></tr> <tr> <td>M103-1132</td><td>1.47 mm</td></tr> </table>		Material Thickness	M103-1128	1 mm	M103-1129	1.19 mm	M103-1130	1.27 mm	M103-1131	1.37 mm	M103-1132	1.47 mm
	Material Thickness												
M103-1128	1 mm												
M103-1129	1.19 mm												
M103-1130	1.27 mm												
M103-1131	1.37 mm												
M103-1132	1.47 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1133</td><td>1 mm</td></tr> <tr> <td>M103-1134</td><td>1.19 mm</td></tr> <tr> <td>M103-1135</td><td>1.27 mm</td></tr> </table>		Material Thickness	M103-1133	1 mm	M103-1134	1.19 mm	M103-1135	1.27 mm				
	Material Thickness												
M103-1133	1 mm												
M103-1134	1.19 mm												
M103-1135	1.27 mm												

	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1136</td><td>1.27 mm</td></tr> <tr> <td>M103-1137</td><td>1.37 mm</td></tr> </table>		Material Thickness	M103-1136	1.27 mm	M103-1137	1.37 mm						
	Material Thickness												
M103-1136	1.27 mm												
M103-1137	1.37 mm												
	M103-1138 Material Thickness: 1.27 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1139</td><td>1 mm</td></tr> <tr> <td>M103-1140</td><td>1.27 mm</td></tr> </table>		Material Thickness	M103-1139	1 mm	M103-1140	1.27 mm						
	Material Thickness												
M103-1139	1 mm												
M103-1140	1.27 mm												
	<table> <tr> <th></th><th>Material Thickness</th></tr> <tr> <td>M103-1141</td><td>1 mm</td></tr> <tr> <td>M103-1142</td><td>1.19 mm</td></tr> <tr> <td>M103-1143</td><td>1.27 mm</td></tr> <tr> <td>M103-1144</td><td>1.37 mm</td></tr> <tr> <td>M103-1145</td><td>1.47 mm</td></tr> </table>		Material Thickness	M103-1141	1 mm	M103-1142	1.19 mm	M103-1143	1.27 mm	M103-1144	1.37 mm	M103-1145	1.47 mm
	Material Thickness												
M103-1141	1 mm												
M103-1142	1.19 mm												
M103-1143	1.27 mm												
M103-1144	1.37 mm												
M103-1145	1.47 mm												
	M103-1146 Material Thickness: 1.27 mm												
	M103-1147 Material Thickness: 1.19 mm												

Sternum Saw System



M103-240B
 Sternum saw system
 (Without saw blade, guide, battery and battery case)
 16.000 cpm / ↔ 4 mm
 41 x 210 x 154 mm / 1280 g



Battery Operated



Electrically Operated

Oscillating Saw System



M103-300B
 Sagittal saw system
 (Without saw blades, battery and battery case)
 16.000 cpm / ∠ 4° 50'
 41 x 180 x 160 mm / 1140 g



Battery Operated




Electrically Operated



M103-715
 Adult saw guide


Adult saw blade	Code	Length	Usable Length	Blade Thickness	Cutting Thickness
	M103-709	58 mm	35 mm	0,6 mm	1 mm
	M103-710	58 mm	35 mm	0,8 mm	1,2 mm



M103-716
 Pediatric saw guide


Pediatric saw blade	Code	Length	Usable Length	Blade Thickness	Cutting Thickness
	M103-711	40 mm	18 mm	0.6 mm	0.6 mm
	M103-712	40 mm	18 mm	0.6 mm	0,8 mm

Blades for M103-300B



Code	Length	Width	Thickness
M103-390	35 mm	25 mm	0.8 mm
M103-391	50 mm	40 mm	0.8 mm
M103-392	35 mm	75 mm	0.8 mm

Orthopedic Set, Basic




M103-1001 Battery Orthopedic Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
M103-300B	Sagittal saw system
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M103-320	Acetabular reamer attachment
M103-330	Reamer attachment for wire and pin
K3-1723	Basket with silicone fixations 540 x 253 x 113 mm

M103-1002 Battery + Electro Orthopedic Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
M103-300B	Sagittal saw system
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M103-320	Acetabular reamer attachment
M103-330	Reamer attachment for wire and pin
K3-1723	Basket with silicone fixations 540 x 253 x 113 mm

Orthopedic Set, Large




M103-1003 Battery Orthopedic Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery (3 pcs)
M103-211	Autoclaveable battery case (3 pcs)
M103-212	Autoclaveable sterile funnel for aseptic battery loading (3 pcs)
M103-226	Charger unit for 1 battery
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
M103-300B	Sagittal saw system
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M103-320	Acetabular reamer attachment
M103-330	Reamer attachment for wire and pin
M103-235B	Reciprocating saw system
M103-239	Reciprocating Saw blade
M103-352	Quick - action chuck
K3-1723-S1	Basket with silicone fixations for handpiece 540 x 253 x 113 mm
K3-1723-S2	Basket with silicone fixations for battery case 540 x 253 x 113 mm

M103-1004 Battery + Electro Orthopedic Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery (3 pcs)
M103-211	Autoclaveable battery case (3 pcs)
M103-212	Autoclaveable sterile funnel for aseptic battery loading (3 pcs)
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
M103-300B	Sagittal saw system
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M103-320	Acetabular reamer attachment
M103-330	Reamer attachment for wire and pin
M103-235B	Reciprocating saw system
M103-239	Reciprocating Saw blade
M103-352	Quick - action chuck
K3-1723-S1	Basket with silicone fixations for handpiece 540 x 253 x 113 mm
K3-1723-S2	Basket with silicone fixations for battery case 540 x 253 x 113 mm

Drill Set




M103-1005 Battery Drill Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
K3-1731	Basket with silicone fixations 405 x 253 x 113 mm

M103-1006 Battery + Electro Drill Set

Content	
M103-200	Handpiece
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M103-309
K3-1731	Basket with silicone fixations 405 x 253 x 113 mm

Sagittal Saw Set




M103-1007 Battery Sagittal Saw Set

Content	
M103-300B	Sagittal saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
K3-1731-S1	Basket with silicone fixations 405 x 253 x 113 mm

M103-1008 Battery + Electro Sagittal Saw Set

Content	
M103-300B	Sagittal saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
K3-1731-S1	Basket with silicone fixations 405 x 253 x 113 mm

Reciprocating Saw Set



M103-1013 Battery Reciprocating Saw Set


Content	
M103-235B	Reciprocating saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-239	Reciprocating Saw blade
K3-1731-S3	Basket with silicone fixations 405 x 253 x 113 mm

M103-1014 Battery + Electro Reciprocating Saw Set

Content	
M103-235B	Reciprocating saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-239	Reciprocating Saw blade
K3-1731-S3	Basket with silicone fixations 405 x 253 x 113 mm

Sternal Saw Set

Cardio Vascular Set



M103-1009 Battery Sternal Saw Set

Content	
M103-240B	Sternum saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-715	Adult saw guide
M103-710	Adult saw blade
K3-1731-S2	Basket with silicone fixations 405 x 253 x 113 mm

M103-1010 Battery + Electro Sternal Saw Set

Content	
M103-240B	Sternum saw system
M103-210	Rechargeable Li-ion battery
M103-211	Autoclaveable battery case
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-715	Adult saw guide
M103-710	Adult saw blade
K3-1731-S2	Basket with silicone fixations 405 x 253 x 113 mm

M103-1011 Battery Cardio Vascular Set

Content	
M103-240B	Sternum saw system
M103-210	Rechargeable Li-ion battery (2 pcs)
M103-211	Autoclaveable battery case (2 pcs)
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-226	Charger unit for 1 battery
M103-300B	Sagittal saw system
M103-715	Adult saw guide
M103-710	Adult saw blade
M103-392	Oscillating saw blade
K3-1723-S3	Basket with silicone fixations 540 x 253 x 113 mm

M103-1012 Battery + Electro Cardio Vascular Set

Content	
M103-240B	Sternum saw system
M103-210	Rechargeable Li-ion battery (2 pcs)
M103-211	Autoclaveable battery case (2 pcs)
M103-212	Autoclaveable sterile funnel for aseptic battery loading
M103-223	Autoclaveable power cord for direct corded use
M103-224	Power supply and Charger unit for 2 batteries
M103-300B	Sagittal saw system
M103-715	Adult saw guide
M103-710	Adult saw blade
M103-392	Oscillating saw blade
K3-1723-S3	Basket with silicone fixations 540 x 253 x 113 mm

Container Set For Sterilization




K8-123V
 Lid, B3 Barrier Model
 602 x 285 mm


K6-107
 Container, non perforated
 600 x 272 x 138 mm



K3-742
 Basket made from
 stainless steel sheet (with stand)
 540 x 253 x 80 mm



K2-462
 Wire basket
 540 x 250 x 70 mm



K2-526
 Silicone mat
 520 x 230 mm



K8-343V
 Lid, B3 Barrier Model
 477 x 285 mm


K6-307
 Container, non perforated
 475 x 272 x 138 mm



K3-750
 Basket made from
 stainless steel sheet (with stand)
 405 x 253 x 80 mm




K2-1502
 Wire basket
 405 x 250 x 70 mm



K2-524
 Silicone mat
 380 x 230 mm



K2-674
 Class 6 Emulating Indicator Card
 1 Pack (250 pcs)




Identification labels (aluminium)
 Coloured identification labels
 Engraved to your specifications
 Maximum 16 letters

code	color
K2-700	Red
K2-701	Blue
K2-702	Green
K2-703	Yellow
K2-704	Grey
K2-705	Black



K2-673
 Labels (paper)
 100 pcs. With indicator.
 For small size and special
 containers



K2-672
 Labels (paper)
 100 pcs. With indicator.
 For full and half size containers



K1-900
 Modular Auto Lock Mechanism (2 Pcs)



K2-660 red
 Security seal
 100 pcs made of plastic



For more information and alternative please see
 our Sterile Container System catalog.
 From our website www.aygun.com






■ Standart Model



■ Accessories



■ Baskets



■ Bio-Barrier Model




■ Compact 2



■ Dermotome



■ Electro Pneumatic Surgical Motor



■ HSM Micro System




■ Dental, Mini Model



■ High Performance Polymers PPSU Lids



■ PTFE - Valve - Biostop




■ HSM Neuro System




■ Macro Compact 2




■ Mini Compact



■ Mini Surgical Motor



■ Mobil Stator



■ NAP Neuro Air Power



■ Praxis 2




■ Praxis 3



■ Praxis 3B



■ Skin Graft Mesher



■ Standart Macro



■ Standard Micro

PRAXIS | 3B



2017

Meeting Point For Surgery™

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

Organize Sanayi Bölgesi Yaşar Doğu Cad. No:76
55330 Kutlukent - SAMSUN / TÜRKİYE

☎ 90 (362) 266 66 80
E-mail: aygun@aygun.com

☎ 90 (362) 266 93 30
Web: www.aygun.com